Discrete Mathematics
Volume 171, Numbers 1–3, 20 June 1997

Contents

Contributions

R. Aharoni, G.T. Herman and A. Kuba
Binary vectors partially determined by linear equation systems 1

M.H. Armanious
Construction of nilpotent sloops of class n 17

A. Brandstädt, F.F. Dragan and F. Nicolai
LexBFS-orderings and powers of chordal graphs 27

H. Broersma, H. Li, J. Li, F. Tian and H.J. Veldman
Cycles through subsets with large degree sums 43

D.E. Bryant, C.A. Rodger and E.R. Spicer
Embeddings of m-cycle systems and incomplete m-cycle systems: $m \leqslant 14$ 55

I.P.F. da Silva
Note on inseparability graphs of matroids having exactly one class of orientations 77

T. Dvořák, I. Havel and P. Liebl
Euler cycles in the complete graph K_{2m+1} 89

Y. Egawa
Contractible cycles in graphs with large minimum degree 103

R. Gardner, B. Micale, M. Pennisi and R. Zijlstra
Cyclic and rotational hybrid triple systems 121

J.H. Hattingh and E. Ungerer
Minus k-subdomination in graphs II 141

M. Karoński and T. Łuczak
The number of connected sparsely edged uniform hypergraphs 153

R.-Y. Liu and L.-C. Zhao
A new method for proving chromatic uniqueness of graphs 169

T.A. McKee
Clique neighborhoods and nearly chordal graphs 179

M. Minoux
Bideterminants, arborescences and extension of the Matrix-Tree Theorem to semirings 191

J. Mitchem and P. Morriss
On the cost-chromatic number of graphs 201

I. Rusu
Building counterexamples 213

J.M. Santmyer
A Stirling like sequence of rational numbers 229

C. Tardif
A fixed box theorem for the cartesian product of graphs and metric spaces 237

Discrete Mathematics
Volume 171, Numbers 1–3, 20 June 1997

Contents

Contributions

R. Aharoni, G.T. Herman and A. Kuba
Binary vectors partially determined by linear equation systems 1

M.H. Armanious
Construction of nilpotent sloops of class n 17

A. Brandstädt, F.F. Dragan and F. Nicolai
LexBFS-orderings and powers of chordal graphs 27

H. Broersma, H. Li, J. Li, F. Tian and H.J. Veldman
Cycles through subsets with large degree sums 43

D.E. Bryant, C.A. Rodger and E.R. Spicer
Embeddings of m-cycle systems and incomplete m-cycle systems: $m \leqslant 14$ 55

I.P.F. da Silva
Note on inseparability graphs of matroids having exactly one class of orientations 77

T. Dvořák, I. Havel and P. Liebl
Euler cycles in the complete graph K_{2m+1} 89

Y. Egawa
Contractible cycles in graphs with large minimum degree 103

R. Gardner, B. Micale, M. Pennisi and R. Zijlstra
Cyclic and rotational hybrid triple systems 121

J.H. Hattingh and E. Ungerer
Minus k-subdomination in graphs II 141

M. Karoński and T. Łuczak
The number of connected sparsely edged uniform hypergraphs 153

R.-Y. Liu and L.-C. Zhao
A new method for proving chromatic uniqueness of graphs 169

T.A. McKee
Clique neighborhoods and nearly chordal graphs 179

M. Minoux
Bideterminants, arborescences and extension of the Matrix-Tree Theorem to semirings 191

J. Mitchem and P. Morriss
On the cost-chromatic number of graphs 201

I. Rusu
Building counterexamples 213

J.M. Santmyer
A Stirling like sequence of rational numbers 229

C. Tardif
A fixed box theorem for the cartesian product of graphs and metric spaces 237

U. Teschner
New results about the bondage number of a graph 249

P.-J. Wan, D.-Z. Du and R.L. Graham
The Steiner ratio for the dual normal plane 261

P. Zörnig
On the line graphs of the complete *r*-partite graphs 277

Notes

K.H. Chew
On Vizing's theorem, Adjacency lemma and fan argument generalized to multi-graphs 283

L.H. Clark and D. Haile
Remarks on the size of critical edge-chromatic graphs 287

D.G. Fon-Der-Flaass
Arrays of distinct representatives — a very simple NP-complete problem 295

Author index to volume 171 299